Brain Research, 537 (1990) 386–388
Elsevier

Author Index

Adamek, G.D., see Daston, M.M., 69
Adler, N.T., see Yanovski, J.A., 216
Akagi, H., see Ishida, M., 311
Anderson-Brown, T., Slotkin, T.A. and Seidler, F.J., Cocaine acutely inhibits DNA synthesis in developing rat brain regions: evidence for direct actions, 197
Aoki, A., see Gómez, R.A., 293
Arce, V., Cella, S.G., Loche, S., Ghigo, E., Devesa, J. and Müller, E.E., Synergistic effect of growth hormone-releasing hormone (GHRH) and clonidine in stimulating GH release in young and old dogs, 359
Armstrong, D.M., see Benzig, W.C., 298
Arnerić, S.P., see Tingley III, F.D., 175

Bagdy, G., Calogero, A.E., Szemeredi, K., Gomez, M.T., Murphy, D.L., Chrousos, G.P. and Gold, P.W., β-Endorphin responses to different serotonin agonists: involvement of corticotropin-releasing hormone, vasopressin and direct pituitary action, 227
Baudry, M., see Massicotte, G., 49
Bell, J.A., see Majewska, M.D., 328
Ben-Eliyahu, S., see Yirmiya, R., 169
Bennett-Clarke, C.A. see Mooney, R.D., 375
Benzig, W.C., Mufson, E.J., Jennes, L. and Armstrong, D.M., Reduction of neurotensin imunoreactivity in the amygdala in Alzheimer's disease, 298
Berdan, R.C. and Bulloch, A.G.M., Role of activity in the selection of new electrical synapses between adult *Helisoma* neurons, 241
Björklund, A., see Hellweg, R., 123
Björklund, P.-E., see Tiger, G., 93
Blitzer, R.D., Gil, O. and Landau, E.M., Long-term potentiation in rat hippocampus is inhibited by low concentrations of ethanol, 203
Blumberg, P.M., see Szallasi, A., 182
Bowling, D., see Luine, V., 271
Brännström, G., see Tiger, G., 93
Bulloch, A.G.M., see Berdan, R.C., 241
Burke, W.J., Park, D.H., Chung, H.D., Marshall, G.L., Haring, J.H. and Joh, T.H., Evidence for decreased transport of tryptophan hydroxylase in Alzheimer's disease, 83

Cabelguen, J.-M., see Gossard, J.-P., 14
Calcagnetti, D.J. and Holtzman, S.G., Factors affecting restraint stress-induced potentiation of morphine analgesia, 157
Calder, L.D., see Karler, R., 76
Calogero, A.E., see Bagdy, G., 227
Cella, S.G., see Arce, V., 359
Chapman, P.F., Steinmetz, J.E., Sears, L.L. and Thompson, R.F., Effects of lidocine injection in the interpositus nucleus and red nucleus on conditioned behavioral and neuronal responses, 149
Chaudhry, I.A., see Karler, R., 76
Chrousos, G.P., see Bagdy, G., 227
Chung, H.D., see Burke, W.J., 83
Clark, W.M., see Madden, K.P., 256
Cohen, A., Sivron, T., Duvdevani, R. and Schwartz, M., Oligodendrocyte cytotoxic factor associated with fish optic nerve regeneration: implications for mammalian CNS regeneration, 24
Contestabile, A., Faslo, A., Virgili, M., Migani, P., Villani, L. and Stripe, F., Anatomical and neurochemical evidence for suicide transport of a toxic lectin, volkensin, injected in the rat dorsal hippocampus, 279
Cusick, C.G., Wall, J.T., Whiting, J.H. and Wiley, R.G., Temporal progression of cortical reorganization following nerve injury, 355

Daston, M.M., Adamek, G.D. and Gesteland, R.C., Ultrastructural organization of receptor cell axons in frog olfactory nerve, 69
Date, I., Felten, S.Y. and Felten, D.L., Cografts of adrenal medulla peripheral nerve enhance the survivability of transplanted adrenal chromaffin cells and recovery of the host nigrostriatal dopaminergic system in MPTP-treated young adult mice, 33
de Blas, A.L., see Vitorica, J., 209
Devesa, J., see Arce, V., 359
Dodt, H.-I. and Zieglgänsberger, W., Visualizing unstained neurons in living brain slices by infrared DIC-videomicroscopy, 333
Duvdevani, R., see Cohen, A., 24

Ellis, W.G., see Murphy Jr., G.M., 102
Eng, L.F., see Murphy Jr., G.M., 102

Faslo, A., see Contestabile, A., 279
Felten, D.L., see Date, I., 33
Felten, S.Y., see Date, I., 33
Fischer, W., see Hellweg, R., 123
Fowler, C.J., see Tiger, G., 93
Fujimoto, K., see Sakata, T., 303
Fukagawa, K., see Sakata, T., 303

Gage, F.H., see Hellweg, R., 123
Gallager, D.W., see Lidow, M.S., 349
Gemba, H. and Sasaki, K., Potential related to no-go reaction in go/no-go hand movement with discrimination between tone stimuli of different frequencies in the monkey, 340
Gesteland, R.C., see Daston, M.M., 69
Ghigo, E., see Arce, V., 359
Gil, O., see Blitzer, R.D., 203
Glowinski, J., see Trovero, F., 381
Gold, P.W., see Bagdy, G., 227
Goldman-Rakic, P.S., see Lidow, M.S., 349
Goldstein, B.D., see Holland, L.N., 287
Gomez, M.T., see Bagdy, G., 227
Gómez, R.A., Pozzo Miller, L.D., Aoki, A. and Ramírez, O.A., Long-term potentiation-induced synaptic changes in hippocampal dentate gyrus of rats with an inborn low or high learning capacity, 293
Gossard, J.-P. and Rossignol, S., Phase-dependent modulation of dorsal root potentials evoked by peripheral nerve stimulation during fictive locomotion in the cat, 1
Gossard, J.-P., Cabelguen, J.-M. and Rossignol, S., Phase-dependent modulation of primary afferent depolarizations in single cutaneous primary afferents evoked by peripheral stimulation during fictive locomotion in the cat, 14

Hannila, T., Sirviö, J. and Riekkinen, P.J., The effect of γ-vinyl-GABA on the performance of nucleus basalis-lesioned rats in spatial navigation task, 363
Haring, J.H., see Burke, W.J., 83
Hasegawa, Y., see Nakano, K., 54
Hearns, M., see Luine, V., 271
Hellweg, R., Fischer, W., Hock, C., Gage, F.H., Björklund, A. and Thoenen, H., Nerve growth factor levels and choline acetyltransferase activity in the brain of aged rats with spatial memory impairments, 123
Helmstetter, F.J. and Landeira-Fernandez, J., Conditional hypoalgesia is attenuated by naltrexone applied to the periaqueductal gray, 88
Hirai, S., see Yamaguchi, H., 318
Hock, C., see Hellweg, R., 123
Hofman, M.A., see Swaab, D.F., 141
Holland, L.N. and Goldstein, B.D., Changes of substance P-like immunoreactivity in the dorsal horn are associated with the 'phasic' behavioral response to a formalin stimulus, 287
Holtzman, S.G., see Calcagnetti, D.J., 157
Huerta, M.F. and Pons, T.P., Primary motor cortex receives input from area 3a in macaques, 367

Ihara, Y., see Yamaguchi, H., 318
Inagaki, A., Matsuda, Y., Nkai, Y. and Takagi, H., Calcitonin gene-related peptide (CGRP) immunoreactivity in the afferents to the caudate-putamen and perirhinal cortex of rats, 263
Ishida, M., Akagi, H., Shimamoto, K., Ohfune, Y. and Shinozaki, H., A potent metabotropic glutamate receptor agonist: electrophysiological actions of a conformationally restricted glutamate analogue in the rat spinal cord and *Xenopus* oocytes, 311
Ishiguro, K., see Yamaguchi, H., 318

Jennes, L., see Benzig, W.C., 298
Jensen, R.T., see Ladenheim, E.E., 233

Brain Research, 537 (1990) 386–388
Elsevier

Author Index

Adamek, G.D., see Daston, M.M., 69
Adler, N.T., see Yanovski, J.A., 216
Akagi, H., see Ishida, M., 311
Anderson-Brown, T., Slotkin, T.A. and Seidler, F.J., Cocaine acutely inhibits DNA synthesis in developing rat brain regions: evidence for direct actions, 197
Aoki, A., see Gómez, R.A., 293
Arce, V., Cella, S.G., Loche, S., Ghigo, E., Devesa, J. and Müller, E.E., Synergistic effect of growth hormone-releasing hormone (GHRH) and clonidine in stimulating GH release in young and old dogs, 359
Armstrong, D.M., see Benzig, W.C., 298
Arnerić, S.P., see Tingley III, F.D., 175

Bagdy, G., Calogero, A.E., Szemeredi, K., Gomez, M.T., Murphy, D.L., Chrousos, G.P. and Gold, P.W., β-Endorphin responses to different serotonin agonists: involvement of corticotropin-releasing hormone, vasopressin and direct pituitary action, 227
Baudry, M., see Massicotte, G., 49
Bell, J.A., see Majewska, M.D., 328
Ben-Eliyahu, S., see Yirmiya, R., 169
Bennett-Clarke, C.A. see Mooney, R.D., 375
Benzig, W.C., Mufson, E.J., Jennes, L. and Armstrong, D.M., Reduction of neurotensin imunoreactivity in the amygdala in Alzheimer's disease, 298
Berdan, R.C. and Bulloch, A.G.M., Role of activity in the selection of new electrical synapses between adult *Helisoma* neurons, 241
Björklund, A., see Hellweg, R., 123
Björklund, P.-E., see Tiger, G., 93
Blitzer, R.D., Gil, O. and Landau, E.M., Long-term potentiation in rat hippocampus is inhibited by low concentrations of ethanol, 203
Blumberg, P.M., see Szallasi, A., 182
Bowling, D., see Luine, V., 271
Brännström, G., see Tiger, G., 93
Bulloch, A.G.M., see Berdan, R.C., 241
Burke, W.J., Park, D.H., Chung, H.D., Marshall, G.L., Haring, J.H. and Joh, T.H., Evidence for decreased transport of tryptophan hydroxylase in Alzheimer's disease, 83

Cabelguen, J.-M., see Gossard, J.-P., 14
Calcagnetti, D.J. and Holtzman, S.G., Factors affecting restraint stress-induced potentiation of morphine analgesia, 157
Calder, L.D., see Karler, R., 76
Calogero, A.E., see Bagdy, G., 227
Cella, S.G., see Arce, V., 359
Chapman, P.F., Steinmetz, J.E., Sears, L.L. and Thompson, R.F., Effects of lidocine injection in the interpositus nucleus and red nucleus on conditioned behavioral and neuronal responses, 149
Chaudhry, I.A., see Karler, R., 76
Chrousos, G.P., see Bagdy, G., 227
Chung, H.D., see Burke, W.J., 83
Clark, W.M., see Madden, K.P., 256
Cohen, A., Sivron, T., Duvdevani, R. and Schwartz, M., Oligodendrocyte cytotoxic factor associated with fish optic nerve regeneration: implications for mammalian CNS regeneration, 24
Contestabile, A., Faslo, A., Virgili, M., Migani, P., Villani, L. and Stripe, F., Anatomical and neurochemical evidence for suicide transport of a toxic lectin, volkensin, injected in the rat dorsal hippocampus, 279
Cusick, C.G., Wall, J.T., Whiting, J.H. and Wiley, R.G., Temporal progression of cortical reorganization following nerve injury, 355

Daston, M.M., Adamek, G.D. and Gesteland, R.C., Ultrastructural organization of receptor cell axons in frog olfactory nerve, 69
Date, I., Felten, S.Y. and Felten, D.L., Cografts of adrenal medulla peripheral nerve enhance the survivability of transplanted adrenal chromaffin cells and recovery of the host nigrostriatal dopaminergic system in MPTP-treated young adult mice, 33
de Blas, A.L., see Vitorica, J., 209
Devesa, J., see Arce, V., 359
Dodt, H.-I. and Zieglgänsberger, W., Visualizing unstained neurons in living brain slices by infrared DIC-videomicroscopy, 333
Duvdevani, R., see Cohen, A., 24

Ellis, W.G., see Murphy Jr., G.M., 102
Eng, L.F., see Murphy Jr., G.M., 102

Faslo, A., see Contestabile, A., 279
Felten, D.L., see Date, I., 33
Felten, S.Y., see Date, I., 33
Fischer, W., see Hellweg, R., 123
Fowler, C.J., see Tiger, G., 93
Fujimoto, K., see Sakata, T., 303
Fukagawa, K., see Sakata, T., 303

Gage, F.H., see Hellweg, R., 123
Gallager, D.W., see Lidow, M.S., 349
Gemba, H. and Sasaki, K., Potential related to no-go reaction in go/no-go hand movement with discrimination between tone stimuli of different frequencies in the monkey, 340
Gesteland, R.C., see Daston, M.M., 69
Ghigo, E., see Arce, V., 359
Gil, O., see Blitzer, R.D., 203
Glowinski, J., see Trovero, F., 381
Gold, P.W., see Bagdy, G., 227
Goldman-Rakic, P.S., see Lidow, M.S., 349
Goldstein, B.D., see Holland, L.N., 287
Gomez, M.T., see Bagdy, G., 227
Gómez, R.A., Pozzo Miller, L.D., Aoki, A. and Ramírez, O.A., Long-term potentiation-induced synaptic changes in hippocampal dentate gyrus of rats with an inborn low or high learning capacity, 293
Gossard, J.-P. and Rossignol, S., Phase-dependent modulation of dorsal root potentials evoked by peripheral nerve stimulation during fictive locomotion in the cat, 1
Gossard, J.-P., Cabelguen, J.-M. and Rossignol, S., Phase-dependent modulation of primary afferent depolarizations in single cutaneous primary afferents evoked by peripheral stimulation during fictive locomotion in the cat, 14

Hannila, T., Sirviö, J. and Riekkinen, P.J., The effect of γ-vinyl-GABA on the performance of nucleus basalis-lesioned rats in spatial navigation task, 363
Haring, J.H., see Burke, W.J., 83
Hasegawa, Y., see Nakano, K., 54
Hearns, M., see Luine, V., 271
Hellweg, R., Fischer, W., Hock, C., Gage, F.H., Björklund, A. and Thoenen, H., Nerve growth factor levels and choline acetyltransferase activity in the brain of aged rats with spatial memory impairments, 123
Helmstetter, F.J. and Landeira-Fernandez, J., Conditional hypoalgesia is attenuated by naltrexone applied to the periaqueductal gray, 88
Hirai, S., see Yamaguchi, H., 318
Hock, C., see Hellweg, R., 123
Hofman, M.A., see Swaab, D.F., 141
Holland, L.N. and Goldstein, B.D., Changes of substance P-like immunoreactivity in the dorsal horn are associated with the 'phasic' behavioral response to a formalin stimulus, 287
Holtzman, S.G., see Calcagnetti, D.J., 157
Huerta, M.F. and Pons, T.P., Primary motor cortex receives input from area 3a in macaques, 367

Ihara, Y., see Yamaguchi, H., 318
Inagaki, A., Matsuda, Y., Nkai, Y. and Takagi, H., Calcitonin gene-related peptide (CGRP) immunoreactivity in the afferents to the caudate-putamen and perirhinal cortex of rats, 263
Ishida, M., Akagi, H., Shimamoto, K., Ohfune, Y. and Shinozaki, H., A potent metabotropic glutamate receptor agonist: electrophysiological actions of a conformationally restricted glutamate analogue in the rat spinal cord and *Xenopus* oocytes, 311
Ishiguro, K., see Yamaguchi, H., 318

Jennes, L., see Benzig, W.C., 298
Jensen, R.T., see Ladenheim, E.E., 233

Joh, T.H., see Burke, W.J., 83
Joseph, J.A., Kowatch, M.A., Maki, T. and Roth, G.S., Selective cross-activation/inhibition of second messenger systems and the reduction of age-related deficits in the muscarinic control of dopamine release from perifused rat striata, 40

Karler, R., Chaudhry, I.A., Calder, L.D. and Turkanis, S.A., Amphetamine behavioral sensitization and the excitatory amino acids, 76
Kayahara, T., see Nakano, K., 54
Kayahara, T., see Yasui, Y., 323
Kelly, P.A.T., see McBean, D.E., 307
Kimura, H., see Uemera, S., 315
King, T.D., see Mooney, R.D., 375
Kowatch, M.A., see Joseph, J.A., 40

Ladenheim, E.E., Jensen, R.T., Mantey, S.A., McHugh, P.R. and Moran, T.H., Receptor heterogeneity for bombesin-like peptides in the rat central nervous system, 233
Landau, E.M., see Blitzer, R.D., 203
Landeira-Fernandez, J., see Helmstetter, F.J., 88
Lasater, E.M., see Vaughan, D.K., 131
Levine, J.D., see Taiwo, Y.O., 372
Levine, J.D., see Yanovski, J.A., 216
Lévy, M., see Trovero, F., 381
Lewis, M.D., McQueen, I.N.F. and Scanlon, M.F., Motor neurone disease serum and *β-N*-methylamino-L-alanine stimulate thyrotrophin-releasing hormone production by cultured brain cells, 251
Lidow, M.S., Goldman-Rakic, P.S., Rakic, P. and Gallager, D.W., Autoradiographic comparison of D_1-specific binding of [^{3}H]-SCH39166 and [^{3}H]SCH23390 in the primate cerebral cortex, 349
Liebeskind, J.C., see Yirmiya, R., 169
Loche, S., see Arce, V., 359
London, E.D., see Majewska, M.D., 328
Lovinger, D.M., see White, G., 337
Luine, V., Bowling, D. and Hearns, M., Spatial memory deficits in aged rats: contributions of monoaminergic systems, 271
Lynch, G., see Massicotte, G., 49

Madden, K.P., Clark, W.M., Marcoux, F.W., Probert Jr., A.W., Weber, M.L., Rivier, J. and Zivin, J.A., Treatment with conotoxin, an 'N-type' calcium channel blocker, in neuronal hypoxic-ischemic injury, 256
Maeda, N., Matsuoka, N. and Yamaguchi, I., Septohippocampal cholinergic pathway and penile erections induced by dopaminergic and cholinergic stimulants, 163
Majewska, M.D., Bell, J.A. and London, E.D., Regulation of NMDA receptor by redox phenomena: inhibitory role of ascorbate, 328
Maki, T., see Joseph, J.A., 40
Mantey, S.A., see Ladenheim, E.E., 233
Marcoux, F.W., see Madden, K.P., 256
Marek, P., see Yirmiya, R., 169
Marshall, G.L., see Burke, W.J., 83
Massicotte, G., Oliver, M.W., Lynch, G. and Baudry, M., Effect of bromophenacyl bromide, a phospholipase A_2 inhibitor, on the induction and maintenance of LTP in hippocampal slices, 49
Matsuda, Y., see Inagaki, A., 263
Matsuoka, N., see Maeda, N., 163
McBean, D.E., Sharkey, J., Ritchie, I.M. and Kelly, P.A.T., Evidence for a possible role for serotonergic systems in the control of cerebral blood flow, 307
McHugh, P.R., see Ladenheim, E.E., 233
McQueen, I.N.F., see Lewis, M.D., 251
Meissner, L.C., see Murphy Jr., G.M., 102
Mickus, L.A., see Zimmerberg, B., 115
Migani, P., see Contestabile, A., 279
Mizuno, N., see Nakano, K., 54
Mizuno, N., see Yasui, Y., 323
Mohri, T., see Takadera, T., 109
Mooney, R.D., Bennett-Clarke, C.A., King, T.D. and Rhoades, R.W., Tectospinal neurons in hamster contain glutamate-like immunoreactivity, 375
Moran, T.H., see Ladenheim, E.E., 233
Mufson, E.J., see Benzig, W.C., 298
Murphy Jr., G.M., Eng, L.F., Ellis, W.G., Perry, G., Meissner, L.C. and Tinklenberg, J.R., Antigenic profile of plaques and neurofibrillary tangles in the amygdala in Down's syndrome: a comparison with Alzheimer's disease, 102
Murphy, D.L., see Bagdy, G., 227
Müller, E.E., see Arce, V., 359

Nakagawa, S., see Nakano, K., 54
Nakano, K., Hasegawa, Y., Tokushige, A., Nakagawa, S., Kayabara, T. and Mizuno, N., Topographical projections from the thalamus, subthalamic nucleus and pendunculopontine tegmental nucleus to the striatum in the Japanese monkey, *Macaca fuscata*, 54
Nakano, K., see Yasui, Y., 323
Nakazato, Y., see Yamaguchi, H., 318
Newton, B.W., Peptidergic innervation of the cremaster nucleus. I. A sexually dimorphic population of substance P-containing intraspinal neurons exists in the substance P pathway to the rat cremaster nucleus, 187
Nkai, Y., see Inagaki, A., 263

Ohfune, Y., see Ishida, M., 311
Okada, Y., see Shibata, Y., 345
Oliver, M.W., see Massicotte, G., 49
Ookuma, K., see Sakata, T., 303

Park, D.W., see Vitorica, J., 209
Park,, D.H., see Burke, W.J., 83
Peoples, R.W., see White, G., 337
Perry, G., see Murphy Jr., G.M., 102
Pons, T.P., see Huerta, M.F., 367
Pozzo Miller, L.D., see Gómez, R.A., 293
Probert Jr., A.W., see Madden, K.P., 256

Rakic, P., see Lidow, M.S., 349
Ramírez, O.A., see Gómez, R.A., 293
Rhoades, R.W., see Mooney, R.D., 375
Riekkinen, P.J., see Hannila, T., 363
Ritchie, I.M., see McBean, D.E., 307
Rivier, J., see Madden, K.P., 256
Rosenwasser, A.M., see Yanovski, J.A., 216
Rossignol, S., see Gossard, J.-P., 1
Rossignol, S., see Gossard, J.-P., 14
Roth, G.S., see Joseph, J.A., 40

Sakata, T., Fukagawa, K., Ookuma, K., Fujimoto, K., Yoshimatsu, H., Yamatodani, A. and Wada, H., Hypothalamic neuronal histamine modulates ad libitum feeding by rats, 303
Sasaki, K., see Gemba, H., 340
Scanlon, M.F., see Lewis, M.D., 251
Schwartz, M., see Cohen, A., 24
Sears, L.L., see Chapman, P.F., 149
Seidler, F.J., see Anderson-Brown, T., 197
Sharkey, J., see McBean, D.E., 307
Shavit, Y., see Yirmiya, R., 169
Shibata, Y., Tomita, H. and Okada, Y., The effects of ablation of the visual cortical area on the formation of LTP in the superior colliculus of the rat, 345
Shimamoto, K., see Ishida, M., 311
Shinozaki, H., see Ishida, M., 311
Shoji, M., see Yamaguchi, H., 318
Sirviö, J., see Hannila, T., 363
Sivron, T., see Cohen, A., 24
Slotkin, T.A., see Anderson-Brown, T., 197
Steinmetz, J.E., see Chapman, P.F., 149
Stripe, F., see Contestabile, A., 279
Suzuki, R., see Takadera, T, 109
Swaab, D.F. and Hofman, M.A., An enlarged suprachiasmatic nucleus in homosexual men, 141
Szallasi, A., Szallasi, Z. and Blumberg, P.M., Permanent effects of neonatally administered resinferatoxin in the rat, 182
Szallasi, Z., see Szallasi, A., 182
Szemeredi, K., see Bagdy, G., 227

Taiwo, Y.O. and Levine, J.D., Effects of cyclooxygenase products of arachidonic acid metabolism on cutaneous nociceptive threshold in the rat, 372
Takadera, T., Suzuki, R. and Mohri, T., Protection by ethanol of cortical neurons from *N*-methyl-D-aspartate-induced neurotoxicity is associated with blocking calcium influx, 109
Takagi, H., see Inagaki, A., 263
Thoenen, H., see Hellweg, R., 123
Thompson, R.F., see Chapman, P.F., 149
Tiger, G., Björklund, P.-E., Brännström, G. and Fowler, C.J., Multiple actions of fluoride ions upon the phosphoinositide cycle in the rat brain, 93
Tingley III, F.D. and Arnerić, S.P., Evidence for clonidine presynaptically modulating amino acid release in the rostral ventral medulla: role in hypertension, 175
Tinklenberg, J.R., see Murphy Jr., G.M., 102
Tokushige, A., see Nakano, K., 54
Tomita, H., see Shibata, Y., 345
Trovero, F., Glowinski, J. and Lévy, M., Evidence for phosphatidylinositol anchorage of opioid binding proteins in rat brain, 381
Turkanis, S.A., see Karler, R., 76

Uemera, S. and Kimura, H., Common epileptic pathway in amygdaloid bicuculline and electrical kindling demonstrated by

transferability, 315

Vaughan, D.K. and Lasater, E.M., Glial and neuronal markers in bass retinal horizontal and Müller cells, 131
Villani, L., see Contestabile, A., 279
Virgili, M., see Contestabile, A., 279
Vitorica, J., Park, D. and de Blas, A.L., The $GABA_A$/benzodiazepine receptor complex in rat brain neuronal cultures. Characterization by immunoprecipitation, 209

Wada, H., see Sakata, T., 303
Wall, J.T., see Cusick, C.G., 355
Weber, M.L., see Madden, K.P., 256
Weight, F.F., see White, G., 337
White, G., Lovinger, D.M., Peoples, R.W. and Weight, F.F., Inhibition of *N*-methyl-D-aspartate activated ion current by desmethylimipramine, 337
Whiting, J.H., see Cusick, C.G., 355
Wiley, R.G., see Cusick, C.G., 355

Yamaguchi, H., Ishiguro, K., Shoji, M., Yamazaki, T., Nakazato, Y., Ihara, Y. and Hirai, S., Amyloid β/A4 protein is bound to neurofibrillary tangles in Alzheimer-type dementia, 318
Yamaguchi, I., see Maeda, N., 163
Yamatodani, A., see Sakata, T., 303
Yamazaki, T., see Yamaguchi, H., 318
Yanovski, J.A., Rosenwasser, A.M., Levine, J.D. and Adler, N.T., The circadian activity rhythms of rats with mid- and parasagittal 'split-SCN' knife cuts and pinealectomy, 216
Yasui, Y., Kayahara, T., Nakano, K. and Mizuno, N., The subparafascicular thalamic nucleus of the rat receives projection fibers from the inferior colliculus and auditory cortex, 323
Yirmiya, R., Ben-Eliyahu, S., Shavit, Y., Marek, P. and Liebeskind, J.C., Stimulation of the hypothalamic paraventricular nucleus produces analgesia not mediated by vasopressin or endogenous opioids, 169
Yoshimatsu, H., see Sakata, T., 303

Zieglgänsberger, W., see Dodt, H.-I., 333
Zimmerberg, B. and Mickus, L.A., Sex differences in corpus callosum: influence of prenatal alcohol exposure and maternal undernutrition, 115
Zivin, J.A., see Madden, K.P., 256